



DFCDF45FM5887CB: 498H5@
 H:9 B: CFA 5HC B 7C B15 B98 E H:G
 8FSK B: 4W-9CC-49DFCD9FMC:
 Gamma Scientific
 * 5BM
 F9DFC817HC B B D5FHCF 5G5 K -C @9
 K H:C1 HH-9K F4H8B D9FA 4GG B C:
 Gamma Scientific: 4DFC-4H88*

		I B @XGC H: 9FK 49 CD97 + 98:		B5A 9	85H@	
		B A 98GC BG5F9 B @7 < 9G HC @F5B7 9G : F57 HC B5 @ 5B: 1 45f. A 57 - ± "" 698 B ± H: C D457 9897 A 5@ ± H: F99D45 7 9897 A 5@ ±		8F5K B		HH@9.
		BHF DF 9H: 9CA 9F 7 HC @F5B7 B: D9F: A 5H@ 5@		7 < 97 798		98: 5DDF"
				A:: 5DDF"		
				E 5"		
				7 C A A 98HG		
B9LH5GM	1 098 CB	: B G:				GN9 8K: ""BC"
	5DD@7 5HC B	8C BC HG7 5@9 8F5K B:				F9J
						7FG!) :!a ci bh
						G7 5@9. %% K 9# <H'
						G<99H%C: %